INDEX

TO

GENERAL RADIO EXPERIMENTER

VOLUMES XII AND XIII

June, 1937 to May, 1939

GENERAL RADIO COMPANY
CAMBRIDGE MASSACHUSETTS
U. S. A.

I N D E X
TO GENERAL RADIO EXPERIMENTER
Volumes XII and XIII, June, 1937 through May, 1939

INDEX BY TITLE

A-C Impedance Bridges, A New Null Detector for (H. W. Lamson: April, 1939)

A-C Measurements, Shielded Connectors for (M. A. Gilman: July, 1938)

A-C Operated Direct-Current Amplifier for Industrial Use (J. K. Clapp: February, 1939)

A-C Operation for Type 613-B Beat-Frequency Oscillator (April, 1938)

Adjustable Attenuator, Type 449-A (November, 1937)

Ammeter, The Type 726-A Vacuum-Tube Voltmeter as a Radio-Frequency (D. B. Sinclair: August-September, 1938)

Amplifier for Industrial Use, A-C Operated Direct-Current (J. K. Clapp: February, 1939)

An Analyzer for Noise Measurement (H. H. Scott: February, 1939)

Analyzer for Noise Measurement, An (H. H. Scott: February, 1939)

Analyzer, The New Wave - Some of Its Features (L. B. Arguimbau: December, 1938)

Anniversary Convention, At the Silver (June, 1937)

Antenna Measurements with the R-F Bridge, Broadcast (D. B. Sinclair: February, 1938)

Antenna Power with the Type 726-A Vacuum-Tube Voltmeter, Checking (D. B. Sinclair: May, 1939)

Antenna, Type 418-G Dummy (October, 1937)

Attenuator, Type 449-A Adjustable (November, 1937)

Background Noise Corrections in the Measurement of Machine Noise (L. E. Packard: December, 1937)

Balanced Circuit Measurements, Shielded Transformers for (W. G. Webster: January, 1938)

Beat-Frequency Oscillator, A-C Operation for Type 613-B (April, 1938)

Beat-Frequency Oscillator for Wide-Band Measurements, A (D. B. Sinclair: January, 1939)

Beat-Frequency Oscillator, Modern Improvements for the (H. H. Scott: March, 1938)

Behavior of Type 505 Condensers at High Frequencies, The (D. B. Sinclair: April, 1938)

Bridges, A New Null Detector for A-C Impedance (H. W. Lamson: April, 1939)

Bridge, A 60-Cycle Schering (H. W. Lamson: June, 1938)

Bridge, A Wide-Range Capacitance Test (L. E. Packard: June, 1938)

Bridge, Broadcast Antenna Measurements with the R-F (D. B. Sinclair: February, 1938)

Bridge Measurements, A Visual Balance Indicator for A-C (January, 1938)

Bridge, The Megohm (R. F. Field: July, 1937)

Broadcast and Sound Recording Circuits, A Peak-Reading Power-Level Indicator for Monitoring (A. E. Thiessen: October, 1937)

Broadcast Antenna Measurements with the R-F Bridge (D. B. Sinclair: February, 1938)

Broadcast Transmitter, Multi-Frequency Distortion Measurements on the (A. E. Thiessen: March, 1939)

Capacitance Measurements, Connection Errors in (R. F. Field: January, 1938)

Capacitance Test Bridge, A Wide-Range (L. E. Packard: June, 1938)

Capacitance Test Bridge for Measuring Grounded Samples, A Modification of the (February, 1939)

Checking Antenna Power with the Type 726-A Vacuum-Tube Voltmeter (D. B. Sinclair: May, 1939)

Coil or Condenser Checking, A New Instrument and A New Circuit for (W. N. Tuttle: August-September, 1937)

Condenser, A High-Frequency Model of the Precision (D. B. Sinclair: October-November, 1938)

Condenser Checking, A New Instrument and A New Circuit for Coil or (W. N. Tuttle: August-September, 1937)

Condenser, Improvements in the Type 568 (M. A. Gilman: October-November, 1938)

Condensers at High Frequencies, The Behavior of Type 505 (D. B. Sinclair: April, 1938)

Condensers, Type 739 Logarithmic (A. G. Bousquet: August-September, 1938)

Connection Errors in Capacitance Measurements (R. F. Field: January, 1938)

Connector, Type 759-P8 (July, 1938)

Connectors for A-C Measurements, Shielded (M. A. Gilman: July, 1938)

Convention, At the Silver Anniversary (June, 1937)

Corrections in the Measurement of Machine Noise, Background Noise (L. E. Packard: December, 1937)

Detector for A-C Impedance Bridges, A New Null (H. W. Lamson: April, 1939)

Dial Plates, New (June, 1937)

Dimmer, The Variac as a Series (October-November, 1938)

Direct-Current Amplifier for Industrial Use, A-C Operated (J. K. Clapp: February, 1939)

Distortion and Noise Meter, Modification of Type 732-A (March, 1939)

Distortion and Noise Meter, Radio Receiver Tests with Type 732-A (L. E. Packard: July, 1938)

Distortion Measurements on the Broadcast Transmitter, Multi-Frequency (A. E. Thiessen: March, 1939)

Dummy Antenna, Type 418-G (October, 1937)

Errors in Capacitance Measurements, Connection (R. F. Field: January, 1938)

Experiments in the Psychology of Hearing (M. A. Gilman: May, 1938)

Fork in Continuous Operation, The Precision (H. W. Lamson: October-November, 1938)

Frequencies for the Musician, Standard (August-September, 1937)

Frequency-Limit Monitor for the High-Frequency Bands, A (D. B. Sinclair: February, 1938)

Frequency Monitors, Visual-Type (H. H. Dawes: December, 1938)

Ganged Variacs for Three-Phase Operation (January, 1939)

Generator, Improvements in the Standard-Signal (November, 1937)

Hearing, Experiments in the Psychology of (M. A. Gilman: May, 1938)

Higher Modulation Levels for the Type 605-B Standard-Signal Generator (December, 1938)

High Frequencies, A Standard for Use at - The Type 663 Resistor (D. B. Sinclair: January, 1939)

High Frequencies, New Type 493 Vacuum Thermocouples for Use at (D. B. Sinclair: March, 1939)

High Frequencies, The Behavior of Type 505 Condensers at (D. B. Sinclair: April, 1938)

High-Frequency Bands, A Frequency-Limit Monitor for the (D. B. Sinclair: February, 1938)

High-Frequency Model of the Precision Condenser, A (D. B. Sinclair: October-November, 1938)

High-Frequency Voltage Standard, A (L. B. Arguimbau: June, 1937)

High-Frequency Voltage Standard, A - Type 664-A Thermocouple (L. B. Arguimbau: May, 1938)

Impedance Bridges, A New Null Detector for A-C (H. W. Lamson: April, 1939)

Improved Output Meter, An (W. G. Webster: June, 1937)

Improvements in the Standard-Signal Generator (November, 1937)

Improvements in the Type 568 Condenser (M. A. Gilman: October-November, 1938)

Indicator for A-C Bridge Measurements, A Visual Balance (January, 1938)

Indicator for Monitoring Broadcast and Sound Recording Circuits, A Peak-Reading Power-Level (A. E. Thiessen: October, 1937)

Logarithmic Condensers, Type 739 (A. G. Bousquet: August-September, 1938)

Low-Distortion Oscillator, A (H. H. Scott: April, 1939)

Measuring 100,000 RPM (March, 1938)

Megohm Bridge, The (R. F. Field: July, 1937)

Meter, An Improved Output (W. G. Webster: June, 1937)

Modern Improvements for the Beat-Frequency Oscillator (H. H. Scott: March, 1938)

Modification of the Capacitance Test Bridge for Measuring Grounded Samples, A (February, 1939)

Modification of Type 732-A Distortion and Noise Meter (March, 1939)

Modulation Levels for the Type 605-B Standard-Signal Generator, Higher (December, 1938)

Monitor for the High-Frequency Bands, A Frequency-Limit (D. B. Sinclair: February, 1938)

Monitoring Broadcast and Sound Recording Circuits, A Peak-Reading Power-Level Indicator for (A. E. Thiessen: October, 1937)

Monitors, Visual-Type Frequency (H. H. Dawes: December, 1938)

Multi-Frequency Distortion Measurements on the Broadcast Transmitter (A. E. Thiessen: March, 1939)

Musician, Standard Frequencies for the (August-September, 1937)

New Dial Plates (June, 1937)

New Industrial Stroboscopes, Two (C. E. Worthen: May, 1939)

New Instrument and A New Circuit for Coil or Condenser Checking, A (W. N. Tuttle: August-September, 1937)

New Null Detector for A-C Impedance Bridges, A (H. W. Lamson: April, 1939)

New Type 493 Vacuum Thermocouples for Use at High Frequencies (D. B. Sinclair: March, 1939)

New Wave Analyzer, The - Some of Its Features (L. B. Arguimbau: December, 1938)

Noise, Background Noise Corrections in the Measurement of Machine (L. E. Packard: December, 1937)

Noise Measurement, An Analyzer for (H. H. Scott: February, 1939)

Noise Steps Out (L. E. Packard: December, 1937)

Null Detector for A-C Impedance Bridges, A New (H. W. Lamson: April, 1939)

Obsolescence, Repairs vs. (H. H. Dawes: July, 1937)

100,000 RPM, Measuring (March, 1938)

Operation of the Variac in Oil (S. A. Buckingham: May, 1939)

Oscillator, A-C Operation for Type 613-B Beat-Frequency (April, 1938)

Oscillator, A Low-Distortion (H. H. Scott: April, 1939)

Oscillator, An Ultra-High-Frequency (A. Peterson: October, 1937)

Oscillator for Wide-Band Measurements, A Beat-Frequency (D. B. Sinclair: January, 1939)

Oscillator, Modern Improvements for the Beat-Frequency (H. H. Scott: March, 1938)

Output Meter, An Improved (W. G. Webster: June, 1937)

Peak-Reading Power-Level Indicator for Monitoring Broadcast and Sound Recording Circuits, A (A. E. Thiessen: October, 1937)

Plates, New Dial (June, 1937)

Portable Stage-Lighting Control (R. B. Lewis and L. T. Herndon, Jr., Glendale, California, Junior College: July, 1938)

Power-Level Indicator for Monitoring Broadcast and Sound Recording Circuits, A Peak-Reading (A. E. Thiessen: October, 1937)

Precision Condenser, A High-Frequency Model of the (D. B. Sinclair: October-November, 1938)

Precision Fork in Continuous Operation, The (H. W. Lamson: October-November, 1938)

Psychology of Hearing, Experiments in the (M. A. Gilman: May, 1938)

Radio-Frequency Ammeter, The Type 726-A Vacuum-Tube Voltmeter as a (D. B. Sinclair: August-September, 1938)

Radio-Frequency Source for the Laboratory, A (November, 1937)

Radio Receiver Tests with Type 732-A Distortion and Noise Meter (L. E. Packard: July, 1938)

Receiver Tests with Type 732-A Distortion and Noise Meter, Radio (L. E. Packard: July, 1938)

Remodeling Type 605-A Standard-Signal Generators (November, 1937)

Repairs vs. Obsolescence (H. H. Dawes: July, 1937)

Resistor, The Type 663 - A Standard for Use at High Frequencies (D. B. Sinclair: January, 1939)

Schering Bridge, A 60-Cycle (H. W. Lamson: June, 1938)

Series Dimmer, The Variac as a (October-November, 1938)

Shielded Connectors for A-C Measurements (M. A. Gilman: July, 1938)

Shielded Transformers for Balanced Circuit Measurements (W. G. Webster: January, 1938)

Silver Anniversary Convention, At the (June, 1937)

60-Cycle Schering Bridge, A (H. W. Lamson: June, 1938)

Source for the Laboratory, A Radio-Frequency (November, 1937)

Stage-Lighting Control, Portable (R. B. Lewis and L. T. Herndon, Jr., Glendale, California, Junior College: July, 1938)

Stage-Lighting Unit, Variacs Used as Controls in Flexible (P. K. McElroy: March, 1938)

Standard, A High-Frequency Voltage (L. B. Arguimbau: June, 1937)

Standard, A High-Frequency Voltage - Type 664-A Thermocouple (L. B. Arguimbau: May, 1938)

Standard for Use at High Frequencies, A - The Type 663 Resistor (D. B. Sinclair: January, 1939)

Standard Frequencies for the Musician (August-September, 1937)

Standard-Signal Generator, Higher Modulation Levels for the Type 605-B (December, 1938)

Standard-Signal Generator, Improvements in the (November, 1937)

Standard-Signal Generator, Standardizing the (L. B. Arguimbau: August-September, 1937)

Standard-Signal Generators, Remodeling Type 605-A (November, 1937)

Standardizing the Standard-Signal Generator (L. B. Arguimbau: August-September, 1937)

Stroboscopes, Two New Industrial (C. E. Worthen: May, 1939)

Thermocouple, Type 664-A - A High-Frequency Voltage Standard (L. B. Arguimbau: May, 1938)

Thermocouples for Use at High Frequencies, New Type 493 Vacuum (D. B. Sinclair: March, 1939)

Three-Phase Operation, Ganged Variacs for (January, 1939)

Toward a Silent Subway (May, 1939)

Transformer, The Variac (May, 1938)

Transformers for Balanced Circuit Measurements, Shielded (W. G. Webster: January, 1938)

Transmitter, Multi-Frequency Distortion Measurements on the Broadcast (A. E. Thiessen: March, 1939)

Two New Industrial Stroboscopes (C. E. Worthen: May, 1939)

Ultra-High-Frequency Oscillator, An (A. Peterson: October, 1937)

Vacuum Thermocouples for Use at High Frequencies, New Type 493 (D. B. Sinclair: March, 1939)

Vacuum-Tube Voltmeter as a Radio-Frequency Ammeter, The Type 726-A (D. B. Sinclair: August-September, 1938)

Vacuum-Tube Voltmeter, Checking Antenna Power with the Type 726-A (D. B. Sinclair: May, 1939)

Variac as a Series Dimmer, The (October-November, 1938)

Variac in Oil, Operation of the (S. A. Buckingham: May, 1939)

Variac Transformer, The (May, 1938)

Variacs for Three-Phase Operation, Ganged (January, 1939)

Variacs Used as Controls in Flexible Stage-Lighting Unit (P. K. McElroy: March, 1938)

Visual Balance Indicator for A-C Bridge Measurements, A (January, 1938)

Visual-Type Frequency Monitors (H. H. Dawes: December, 1938)

Voltage Standard, A High-Frequency (L. B. Arguimbau: June, 1937)

Voltage Standard, A High-Frequency - Type 664-A Thermocouple (L. B. Arguimbau: May, 1938)

Voltmeter as a Radio-Frequency Ammeter, The Type 726-A Vacuum-Tube (D. B. Sinclair: August-September, 1938)

Voltmeter, Checking Antenna Power with the Type 726-A Vacuum-Tube (D. B. Sinclair: May, 1939)

Wave Analyzer, The New - Some of Its Features (L. B. Arguimbau: December, 1938)

Wide-Band Measurements, A Beat-Frequency Oscillator for (D. B. Sinclair: January, 1939)

Wide-Range Capacitance Test Bridge, A (L. E. Packard: June, 1938)

INDEX BY TYPE NUMBER

70 Variacs
The Variac Transformer (May, 1938)

80 Variacs
The Variac Transformer (May, 1938)

100 Variacs
Ganged Variacs for Three-Phase Operation (January, 1939)
Operation of the Variac in Oil (S. A. Buckingham: May, 1939)
Portable Stage-Lighting Control (R. B. Lewis and L. T. Herndon, Jr., Glendale, California, Junior College: July, 1938)

200 Variacs
Ganged Variacs for Three-Phase Operation (January, 1939)
Portable Stage-Lighting Control (R. B. Lewis and L. T. Herndon, Jr., Glendale, California, Junior College: July, 1938)
Variacs Used as Controls in Flexible Stage-Lighting Unit (P. K. McElroy: March, 1938)

274 Shielded Plugs
Shielded Connectors for A-C Measurements (M. A. Gilman: July, 1938)

318-A Dial Plate
New Dial Plates (June, 1937)

418-G Dummy Antenna
Type 418-G Dummy Antenna (October, 1937)

449-A Adjustable Attenuator
Type 449-A Adjustable Attenuator (November, 1937)

483-F Output Meter
An Improved Output Meter (W. G. Webster: June, 1937)

493 Thermocouple
New Type 493 Vacuum Thermocouples for Use at High Frequencies (D. B. Sinclair: March, 1939)

505 Condensers
The Behavior of Type 505 Condensers at High Frequencies (D. B. Sinclair: April, 1938)

516-C Radio-Frequency Bridge
Broadcast Antenna Measurements with the R-F Bridge (D. B. Sinclair: February, 1938)

544-B Megohm Bridge
The Megohm Bridge (R. F. Field: July, 1937)

568 Variable Air Condensers
Improvements in the Type 568 Condenser (M. A. Gilman: October-November, 1938)

575-D Piezo-Electric Oscillator
Visual-Type Frequency Monitors (H. H. Dawes: December, 1938)

578 Transformer
Shielded Transformers for Balanced Circuit Measurements (W. G. Webster: January, 1938)

581-A Frequency-Deviation Meter
Visual-Type Frequency Monitors (H. H. Dawes: December, 1938)

605-A Standard-Signal Generator
Higher Modulation Levels for the Type 605-B Standard-Signal Generator (December, 1938)
Remodeling Type 605-A Standard-Signal Generators (November, 1937)

605-B Standard-Signal Generator
Higher Modulation Levels for the Type 605-B Standard-Signal Generator (December, 1938)
Improvements in the Standard-Signal Generator (November, 1937)

608-A Oscillator
A Low-Distortion Oscillator (H. H. Scott: April, 1939)

613-B Beat-Frequency Oscillator
A-C Operation for Type 613-B Beat-Frequency Oscillator (April, 1938)

613-P1 Power Supply
A-C Operation for Type 613-B Beat-Frequency Oscillator (April, 1938)

631-B Strobotac
Two New Industrial Stroboscopes (C. E. W.: May, 1939)

648-A Strobolux
Two New Industrial Stroboscopes (C. E. W.: May, 1939)

663 Resistors
The Type 663 Resistor - A Standard for Use at High Frequencies (D. B. Sinclair: January, 1939)

664-A Thermocouple
Type 664-A Thermocouple - A High-Frequency Voltage Standard (L. B. Arguimbau: May, 1938)

671-A Schering Bridge
A 60-Cycle Schering Bridge (H. W. Lamson: June, 1938)

684-A Modulated Oscillator
A Radio-Frequency Source for the Laboratory (November, 1937)

686-A Power-Level Indicator
A Peak-Reading Power-Level Indicator for Monitoring Broadcast and Sound Recording Circuits (A. E. Thiessen: October, 1937)

700-A Wide Range Beat-Frequency Oscillator
A Beat-Frequency Oscillator for Wide-Band Measurements (D. B. Sinclair: January, 1939)

707-A Cathode-Ray Null Indicator (H. W. Lamson: April, 1939)

713-B Beat-Frequency Oscillator
Modern Improvements for the Beat-Frequency Oscillator (H. H. Scott: March, 1938)

715-A Direct-Current Amplifier
A-C Operated Direct-Current Amplifier for Industrial Use (J. K. Clapp: February, 1939)

721-A Coil Comparators
A New Instrument and A New Circuit for Coil or Condenser Checking (W. N. Tuttle: July, 1937)

722 Precision Condensers
A High-Frequency Model of the Precision Condenser (D. B. Sinclair: October-November, 1938)
Connection Errors in Capacitance Measurements (R. F. Field: January, 1938)

726-A Vacuum-Tube Voltmeter
Checking Antenna Power with the Type 726-A Vacuum-Tube Voltmeter (D. B. Sinclair: May, 1939)
The Type 726-A Vacuum-Tube Voltmeter as a Radio-Frequency Ammeter (D. B. Sinclair: August-September, 1938)

732-A Distortion and Noise Meter
Modification of Type 732-A Distortion and Noise Meter (March, 1939)
Radio Receiver Tests with Type 732-A Distortion and Noise Meter (L. E. Packard: July, 1938)

732-B Distortion and Noise Meter
Multi-Frequency Distortion Measurements on the Broadcast Transmitter (A. E. Thiessen: March, 1939)

732-P1 Range Extension Filters
Multi-Frequency Distortion Measurements on the Broadcast Transmitter (A. E. Thiessen: March, 1939)

732-P5, -P6 Coils
Multi-Frequency Distortion Measurements on the Broadcast Transmitter (A. E. Thiessen: March, 1939)

736-A Wave Analyzer
The New Wave Analyzer - Some of Its Features (L. B. Arguimbau: December, 1938)

739 Logarithmic Condensers
Type 739 Logarithmic Condensers (A. G. Bousquet: August-September, 1938)

740-B Capacitance Test Bridge
A Wide-Range Capacitance Test Bridge (L. E. Packard: June, 1938)

740-BG Capacitance Test Bridge
A Modification of the Capacitance Test Bridge for Measuring Grounded Samples (February, 1939)

759-A Sound-Level Meter
Noise Steps Out (L. E. Packard: December, 1937)

759-P8 Connector
Type 759-P8 Connector (July, 1938)

760-A Sound Analyzer
An Analyzer for Noise Measurement (H. H. Scott: February, 1939)

775-A Frequency-Limit Monitor
A Frequency-Limit Monitor for the High-Frequency Bands (D. B. Sinclair: February, 1938)

814-AR Amplifier
A Visual Balance Indicator for A-C Bridge Measurements (January, 1938)

815-A Precision Fork
The Precision Fork in Continuous Operation (H. W. Lamson: October-November, 1938)

834-A Electronic Frequency Meter
Measuring 100,000 RPM (March, 1938)

INDEX BY AUTHOR

Arguimbau, L. B.
A High-Frequency Voltage Standard (June, 1937)
Standardizing the Standard-Signal Generator (August-September, 1937)
The New Wave Analyzer - Some of Its Features (December, 1938)
Type 664-A Thermocouple - A High-Frequency Voltage Standard (May, 1938)

Bousquet, A. G.
Type 739 Logarithmic Condensers (August-September, 1938)

Buckingham, S. A.
Operation of the Variac in Oil (May, 1939)

Clapp, J. K.
A-C Operated Direct-Current Amplifier for Industrial Use (February, 1939)

Dawes, H. H.
Repairs vs. Obsolescence (July, 1937)
Visual-Type Frequency Monitors (December, 1938)

Field, R. F.
Connection Errors in Capacitance Measurements (January, 1938)
The Megohm Bridge (July, 1937)

Gilman, M. A.
Experiments in the Psychology of Hearing (May, 1938)
Improvements in the Type 568 Condenser (October-November, 1938)
Shielded Connectors for A-C Measurements (July, 1938)

Herndon, Jr., L. T.
Portable Stage-Lighting Control (July, 1938)

Lamson, H. W.
A New Null Detector for A-C Impedance Bridges (April, 1939)
A 60-Cycle Schering Bridge (June, 1938)
The Precision Fork in Continuous Operation (October-November, 1938)

Lewis, R. B.
Portable Stage-Lighting Control (July, 1938)

McElroy, P. K.
Variacs Used as Controls in Flexible Stage-Lighting Unit (March, 1938)

Packard, L. E.
A Wide-Range Capacitance Test Bridge (June, 1938)
Background Noise Corrections in the Measurement of Machine Noise (December, 1937)
Noise Steps Out (December, 1937)
Radio Receiver Tests with Type 732-A Distortion and Noise Meter (July, 1938)

Peterson, A
An Ultra-High-Frequency Oscillator (October, 1937)

Scott, H. H.
A Low-Distortion Oscillator (April, 1939)
An Analyzer for Noise Measurement (February, 1939)
Modern Improvements for the Beat-Frequency Oscillator (March, 1938)

Sinclair, D. B.
A Beat-Frequency Oscillator for Wide-Band Measurements (January, 1939)
A Frequency-Limit Monitor for the High-Frequency Bands (February, 1938)
A High-Frequency Model of the Precision Condenser (October-November, 1938)
Broadcast Antenna Measurements with the R-F Bridge (February, 1938)
Checking Antenna Power with the Type 726-A Vacuum-Tube Voltmeter (May, 1939)
New Type 493 Vacuum Thermocouples for Use at High Frequencies (March, 1939)
The Behavior of Type 505 Condensers at High Frequencies (April, 1938)
The Type 663 Resistor - A Standard for Use at High Frequencies (January, 1939)
The Type 726-A Vacuum-Tube Voltmeter as a Radio-Frequency Ammeter (August-September, 1938)

Thiessen, A. E.
A Peak-Reading Power-Level Indicator for Monitoring Broadcast and Sound Recording Circuits (October, 1937)
Multi-Frequency Distortion Measurements on the Broadcast Transmitter (March, 1939)

Tuttle, W. N.
A New Instrument and A New Circuit for Coil or Condenser Checking (August-September, 1937)

Webster, W. G.
An Improved Output Meter (June, 1937)
Shielded Transformers for Balanced Circuit Measurements (January, 1938)

Worthen, C. E.
Two New Industrial Stroboscopes (May, 1939)

PRINTED IN U.S.A.